| | Math Teachers Park Glen Road, Minneapolis, MN phone (800) 852-2435 fax (952) 54 rado Academic Standards Correlativing with Math Foundations Grant Correlations Grant | 55416 6-7502 ted to | 3. | | | |
|---------|---|--|--|---|--|--|
| | | MH1 Number, Reasoning, & Data Student Book/Skill Builder (SB) | MH2 Fractions & Decimals Student Book/Skill Builder (SB) | MH3 Percent & Probability Student Book/Skill Builder (SB) | MH4 Geometry & Measurement Student Book/Skill Builder (SB) | MH5 Integers, Equations, & Algebra Student Book/Skill Builder (SB) |
| 7.RP.A. | Number and Quantity Ratios & Proportional Relationships: Analyze proportional relationships and use them to solve real-world and mathematical problems. | | | | | |
| 1 | Compute unit rates associated with ratios of fractions, including ratios of lengths, areas, and other quantities measured in like or different units. For example, if a person walks 1/2 mile in each 1/4 hour, compute the unit rate as the complex fraction 1/2 / 1/4 miles per hour, equivalently 2 miles per hour. | | | | 58, 59 | |
| 2 | Identify and represent proportional relationships between quantities. | | | | | |
| 2a | Determine whether two quantities are in a proportional relationship .e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin. | | 37 SB: 46-2 | 24 | | |

| 2b | Identify the constant of proportionality | | 22 | | |
|---------|---|--|-------------------------|---------------------------|--|
| 20 | (unit rate) in tables, graphs, equations, | | 22 | | |
| | diagrams, and verbal descriptions of | | | | |
| | proportional relationships. | | | | |
| 2c | Represent proportional relationships by | 38 | 25 | | |
| - | equations. For example, if total cost t is | | SB: 26-2 | | |
| | proportional to the number n of items | | | | |
| | purchased at a constant price p, the | | | | |
| | relationship between the total cost and | | | | |
| | the number of items can be expressed | | | | |
| | as $t = pn$. | | | | |
| 2d | Explain what a point (x,y) on the graph | | | | |
| | of a proportional relationship means in | | | | |
| | terms of the situation, with special | | | | |
| | attention to the points $(0,0)$ and $(1,r)$ | | | | |
| | where r is the unit rate. | | | | |
| 3 | Use proportional relationships to solve | SB: 46-1 | 34-44 | | |
| | multi-step ratio and percent problems. | | SB: 28-1 to 28-8 | | |
| | Examples: simple interest, tax, markups | | | | |
| | and markdowns, gratuities and | | | | |
| | commissions, fees, percent increase and | | | | |
| | decrease, percent error. | | | | |
| 7.NS.A. | The Number System: Apply and | | | | |
| | extend previous understandings of | | | | |
| | operations with fractions to add, | | | | |
| | subtract, multiply, and divide rational | | | | |
| | numbers. | 14.00 50 57 | | 00.00 | |
| 1 | Apply and extend previous | 14-20, 56, 57 SB: 12-3 to 12-6, | | 28, 29 SB: 58-7 | |
| | understandings of addition and subtraction to add and subtract rational | 13-1 to 13-4, 21- | | 3D: 30-7 | |
| | numbers; represent addition and | 1, 21-2 | | | |
| | subtraction on a horizontal or vertical | 1, 21-2 | | | |
| | number line diagram. | | | | |
| 1a | Describe situations in which opposite | | | 6-8, 10 | |
| ··· | quantities combine to make 0. For | | | SB: 48-3 | |
| | example, a hydrogen atom has 0 charge | | | | |
| | because its two constituents are | | | | |
| | oppositely charged. | | | | |
| | | | | U | |

| | | | I | II | <u> </u> | 10 0 15 10 |
|----|---|-------------|------------------------|----|--|-----------------------|
| 1b | Understand $p + q$ as the number located | | | | | 6-8, 15, 16 |
| | a distance lq I from p, in the positive or | | | | | SB: 58-1 |
| | negative direction depending on whether | | | | | |
| | q is positive or negative. Show that a | | | | | |
| | number and its opposite have a sum of | | | | | |
| | 0 (are additive inverses). Interpret sums | | | | | |
| | of rational numbers by describing real- | | | | | |
| | world contexts. | | | | | |
| 1c | Demonstrate subtraction of rational | | | | | 19 |
| | numbers as adding the additive inverse, | | | | | SB: 58-3 |
| | p - q = p + (-q). Show that the distance | | | | | |
| | between two rational numbers on the | | | | | |
| | number line is the absolute value of their | | | | | |
| | difference, and apply this principle in real- | | | | | |
| | world contexts. | | | | | |
| 1d | Apply properties of operations as | | | | | 17-19 |
| | strategies to add and subtract rational | | | | | SB: 58-1, 58-2 |
| | numbers. | | | | | |
| 2 | Apply and extend previous | | 24-32, 59-66 | | | 30, 31 |
| | understandings of multiplication and | | SB: 14-1, 14-2, | | | SB: 58-7 |
| | division and of fractions to multiply and | | 15-1, 15-2, 16-1, | | | |
| | divide rational numbers. | | 17-1 to 17-3, 22- | | | |
| | | | 1, 23-1, 23-2 | | | |
| 2a | Understand that multiplication is | | | | | 20-22 |
| | extended from fractions to rational | | | | | SB: 58-4 |
| | numbers by requiring that operations | | | | | |
| | continue to satisfy the properties of | | | | | |
| | operations, particularly the distributive | | | | | |
| | property, leading to products such as | | | | | |
| | (-1) (-1) = 1 and the rules for multiplying | | | | | |
| | signed numbers. Interpret products of | | | | | |
| | rational numbers by describing real-world | | | | | |
| | contexts. | | | | | |
| | I | L. 1 | U | | li l | |

| 2b | Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers, then $-(p/q) = -p/q = p/-q$. Interpret quotients of rational numbers by describing real-world contexts. | | | | | 23-25 SB : 58-5 |
|---------|--|---|--|---|--|--|
| 2c | Apply properties of operations as strategies to multiply and divide rational numbers. | | | | | 20-22 |
| 2d | Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats. | | 53, 54 SB: 20-2 | | | |
| 3 | Solve real-world and mathematical problems involving the four operations with rational numbers. (Computations with rational numbers extend the rules for manipulating fractions to complex fractions.) | | 23, 29, 32, 36, 58, 67-74 SB: 43-1 | | | |
| | | MH1 Number, Reasoning, & Data Student Book/Skill Builder (SB) | MH2 Fractions & Decimals Student Book/Skill Builder (SB) | MH3 Percent & Probability Student Book/Skill Builder (SB) | MH4 Geometry & Measurement Student Book/Skill Builder (SB) | MH5 Integers, Equations, & Algebra Student Book/Skill Builder (SB) |
| | Algebra and Functions | | | | | |
| 7.EE.A. | Expressions & Equations: Use properties of operations to generate equivalent expressions. | | | | | |
| 1 | Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients. | | | | | 50 SB: 59-3 to 59-5 |

| 2 | Demonstrate that rewriting an expression | | | | | |
|---------|---|-----------------------|----------------|---------------|----|-----------------------|
| | in different forms in a problem context | | | | | |
| | can shed light on the problem and how | | | | | |
| | the quantities in it are related. For | | | | | |
| | example, $a + 0.05a = 1.05a$ means that | | | | | |
| | "increase by 5%" is the same as | | | | | |
| | "multiply by 1.05." | | | | | |
| 7.EE.B. | Expressions & Equations: Solve real-life | | | | | |
| | and mathematical problems using | | | | | |
| | numerical and algebraic expressions and | | | | | |
| | equations. | | | | | |
| 3 | Solve multi-step real-life and | 49 | 36, 58, 71, 72 | | | 25, 51, 52, 65, 66 |
| | mathematical problems posed with | SB: 43-6, 43-7 | SB: 44-1 | | | SB: 59-1, 60-2 |
| | positive and negative rational numbers in | | | | | |
| | any form (whole numbers, fractions, and | | | | | |
| | decimals), using tools strategically. Apply | | | | | |
| | properties of operations to calculate with | | | | | |
| | numbers in any form; convert between | | | | | |
| | forms as appropriate; and assess the | | | | | |
| | reasonableness of answers using mental | | | | | |
| | computation and estimation strategies. | | | | | |
| | For example: If a woman making \$25 an | | | | | |
| | hour gets a 10% raise, she will make an | | | | | |
| | additional 1/10 of her salary an hour, or | | | | | |
| | \$2.50, for a new salary of \$27.50. If you | | | | | |
| | want to place a towel bar 9 3/4 inches | | | | | |
| | long in the center of a door that is 27 | | | | | |
| | 1/2 inches wide, you will need to place | | | | | |
| | the bar about 9 inches from each edge; | | | | | |
| | this estimate can be used as a check on | | | | | |
| | the exact computation. | | | | | |
| 4 | Use variables to represent quantities in a | SB: 43-7 | 1 | | | 54, 55 |
| " | real-world or mathematical problem, and | 3D. 40-7 | | | | SB: 50-5, 58-9 |
| | construct simple equations and | | | | | 30-0, 30-8 |
| | inequalities to solve problems by | | | | | |
| | reasoning about the quantities. | | | | | |
| | reasoning about the quantities. | | | <u>ll</u> | II | |

| 4a 4b | Solve word problems leading to equations of the form px ± q = r and p(x ± q) = r, where p, q, and r are specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. For example, the perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width? Solve word problems leading to | 49 SB: 43-7 | 73 | | | 55 |
|----------|---|---|--|---|--|--|
| | inequalities of the form $px \pm q > r$, $px \pm q \ge r$, $px \pm q < r$, or $px \pm q \le r$, where p , q , and r are specific rational numbers. Graph the solution set of the inequality and interpret it in the context of the problem. For example: As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make and describe the solutions. | | | | | |
| | | MH1 Number, Reasoning, & Data Student Book/Skill Builder (SB) | MH2 Fractions & Decimals Student Book/Skill Builder (SB) | MH3 Percent & Probability Student Book/Skill Builder (SB) | MH4 Geometry & Measurement Student Book/Skill Builder (SB) | MH5 Integers, Equations, & Algebra Student Book/Skill Builder (SB) |
| 7.SP.A. | Data, Statistics, and Probability Statistics & Probability: Use random sampling to draw inferences about a population. | | | | | |

| 1 | Understand that statistics can be used to gain information about a population by examining a sample of the population; explain that generalizations about a population from a sample are valid only if the sample is representative of that population. Explain that random sampling tends to produce representative samples and support valid inferences. | 77 SB: 68-7 | | |
|---------|---|-----------------------|--|--|
| 2 | Use data from a random sample to draw inferences about a population an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to gauge the variation in estimates or predictions. For example, estimate the mean word length in a book by randomly sampling words from the book; predict the winner of a school election based on randomly sampled survey data. Gauge how far off the estimate or prediction might be. | 77 SB: 68-7 | | |
| 7.SP.B. | Statistics & Probability: Draw informal comparative inferences about two populations. | | | |
| 3 | Informally assess the degree of visual overlap of two numerical data distributions with similar variabilities, measuring the difference between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable. | | | |

| 4 | Use measures of center and measures of | Π | П | |
|---------|---|----|--------|--|
| 4 | | | | |
| | variability for numerical data from random samples to draw informal comparative | | | |
| | inferences about two populations. For | | | |
| | example, decide whether the words in a | | | |
| | chapter of a | | | |
| | · · | | | |
| | seventh-grade science book are | | | |
| | generally longer than the words in a | | | |
| | chapter of a fourth-grade science book. | | | |
| 7.SP.C. | Statistics & Probability: Investigate | | | |
| | chance processes and develop, use, | | | |
| | and evaluate probability models. | | | |
| 5 | Explain that the probability of a chance | 78 | 64 | |
| | event is a number between 0 and 1 that | | | |
| | expresses the likelihood of the event | | | |
| | occurring. Larger numbers indicate | | | |
| | greater likelihood. A probability near 0 | | | |
| | indicates an unlikely event, a probability | | | |
| | around 1/2 indicates an event that is | | | |
| | neither unlikely nor likely, and a | | | |
| | probability near 1 indicates a likely event. | | | |
| 6 | Approximate the probability of a chance | | 66, 67 | |
| | event by collecting data on the chance | | | |
| | process that produces it and observing | | | |
| | its long-run relative frequency, and | | | |
| | predict the approximate relative frequency | | | |
| | given the probability. For example, when | | | |
| | rolling a number cube 600 times, predict | | | |
| | that a 3 or 6 would be rolled roughly | | | |
| | 200 times, but probably not exactly 200 | | | |
| | times. | | | |
| 7 | Develop a probability model and use it to | | | |
| | find probabilities of events. Compare | | | |
| | probabilities from a model to observed | | | |
| | frequencies; if the agreement is not | | | |
| | good, explain possible sources of the | | | |
| | discrepancy. | | | |

| 7a | Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events. For example, if a student is selected at random from a class, find the probability that Jane will be selected and the probability that a girl will be selected. | 78 SB: 47-1 | 61-65 SB: 47-1, 47-2, 47-4, 47-5 | |
|----|---|-----------------------|---|--|
| 7b | Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process. For example, find the approximate probability that a spinning penny will land heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning penny appear to be equally likely based on the observed frequencies? | | 66, 67 | |
| 8 | Find probabilities of compound events using organized lists, tables, tree diagrams, and simulation. | | | |
| 8a | Explain that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs. | | 70-73 SB: 47-3 | |
| 8b | Represent sample spaces for compound events using methods such as organized lists, tables, and tree diagrams. For an event described in everyday language (e.g., "rolling double sixes"), identify the outcomes in the sample space which compose the event. | | 70-73 | |

| 8c | Design and use a simulation to generate frequencies for compound events. For example, use random digits as a simulation tool to approximate the answer to the question: If 40% of donors have type A blood, what is the probability that it will take at least 4 donors to find one with type A blood? | MH1 Number, Reasoning, & Data Student Book/Skill Builder (SB) | MH2 Fractions & Decimals Student Book/Skill Builder (SB) | MH3 Percent & Probability Student Book/Skill Builder (SB) | MH4 Geometry & Measurement Student Book/Skill Builder (SB) | MH5 Integers, Equations, & Algebra Student Book/Skill Builder (SB) |
|--------|--|--|--|---|--|---|
| | Geometry | | | | | |
| 7.G.A. | Geometry: Draw, construct, and describe geometrical figures and describe the relationships between them. | | | | | |
| 1 | Solve problems involving scale drawings of geometric figures, including computing actual lengths and areas from a scale drawing and reproducing a scale drawing at a different scale. | | | | 31, 32 SB: 46-3 | |
| 2 | Draw (freehand, with ruler and protractor, and with technology) geometric shapes with given conditions. Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle. | | | | 7, 8 SB: 32-2 | |
| 3 | Describe the two-dimensional figures that result from slicing threedimensional figures, as in cross sections of right rectangular prisms and right rectangular pyramids. | | | | 37 SB: 62-1 | |

| 7.G.B. | Geometry: Solve real-life and mathematical problems involving angle measure, area, surface area, and volume | | | |
|--------|---|--|---|--|
| 4 | State the formulas for the area and circumference of a circle and use them to solve problems; give an informal derivation of the relationship between the circumference and area of a circle. | | 63, 68 SB: 39-1, 56-1 | |
| 5 | Use facts about supplementary, complementary, vertical, and adjacent angles in a multistep problem to write and solve simple equations for an unknown angle in a figure. | | 17-19 SB: 33-1, 33-2 | |
| 6 | Solve real-world and mathematical problems involving area, volume, and surface area of two- and three-dimensional objects composed of triangles, quadrilaterals, polygons, cubes, and right prisms. | | 49-52, 64-67, 70-76 SB: 36-3, 40-1, 40-2, 41-1, 41- 2, 55-1, 55-2, 62-2 | |