

Math Teachers Press, Inc.

4850 Park Glen Road, Minneapolis, MN 55416 phone (800) 852-2435 fax (952) 546-7502

Washington Mathematics Learning Standards Correlated to Moving with Math-by-Topic Level B Grade 3

OPERATIONS AND ALGEBRAIC THINKING	Student Book	Skill Builders
OPERATIONS AND ALGEBRAIC THINKING		
Depressed and active weeklesses involving sevilting action and		-
Represent and solve problems involving multiplication and division.		
Interpret products of whole numbers, e.g., interpret 5 x 7 as the total number of objects in 5 groups of 7 objects each. For example, describe a context in which a total number of objects can be expressed as 5 x 7.	BII: 3, 17	20-1, 20-2
Interpret whole-number quotients of whole numbers, e.g., interpret $56 \div 8$ as the number of objects in each share when 56 objects are partitioned equally into 8 shares, or as a number of shares when 56 objects are partitioned into equal shares of 8 objects each. For example, describe a context in which a number of shares or a number of groups can be expressed as $56 \div 8$.	BII: 42, 45	25-1
Use multiplication and division within 100 to solve word problems in situations involving equal groups, arrays, and measurement quantities, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem.	BII: 57, 70	20-1, 25-1
Determine the unknown whole number in a multiplication or division equation relating three whole numbers. For example, determine the unknown number that makes the equation true in each of the equations $8 \times ? = 45, 5 = ? \div 3, 6 \times 6 = ?$.	BII: 37, 50	25-4
Understand properties of multiplication and the relationship		
Apply properties of operations as strategies to multiply and divide. Examples: If $6 \times 4 = 24$ is known, then $4 \times 6 = 24$ is also known. (Commutative property of multiplication.) $3 \times 5 \times 2$ can be found by $3 \times 5 = 15$, then $15 \times 2 = 30$, or by $5 \times 2 = 10$, then $3 \times 10 = 30$. (Associative property of multiplication.) Knowing that $8 \times 5 = 40$ and $8 \times 2 = 16$, one can find 8×7 as $8 \times (5 + 2) = (8 \times 5) + 10 = (8 \times 5)$	BII: 8, 15, 26	
Understand division as an unknown-factor problem. For example, find 32 ÷ 8 by finding the number that makes 32 when multiplied by 8.	BII: 50	25-4
	total number of objects in 5 groups of 7 objects each. For example, describe a context in which a total number of objects can be expressed as 5×7 . Interpret whole-number quotients of whole numbers, e.g., interpret $56 \div 8$ as the number of objects in each share when 56 objects are partitioned equally into 8 shares, or as a number of shares when 56 objects are partitioned into equal shares of 8 objects each. For example, describe a context in which a number of shares or a number of groups can be expressed as $56 \div 8$. Use multiplication and division within 100 to solve word problems in situations involving equal groups, arrays, and measurement quantities, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem. Determine the unknown whole numbers. For example, determine the unknown number that makes the equation true in each of the equations $8 \times ? = 45$, $5 = ? \div 3$, $6 \times 6 = ?$. Understand properties of multiplication and the relationship between multiplication and division. Apply properties of operations as strategies to multiply and divide. Examples: If $6 \times 4 = 24$ is known, then $4 \times 6 = 24$ is also known. (Commutative property of multiplication.) $3 \times 5 \times 2$ can be found by $3 \times 5 = 15$, then $15 \times 2 = 30$, or by $5 \times 2 = 10$, then $3 \times 10 = 30$. (Associative property of multiplication.) Knowing that $8 \times 5 = 40$ and $8 \times 2 = 16$, one can find $8 \times 7 \approx 8 \times (5 + 2) = (8 \times 5) + (8 \times 2) = 40 + 16 = 56$. (distributive property.) Understand division as an unknown-factor problem. For example, find $32 \div 8$ by finding the number that makes 32 when	total number of objects in 5 groups of 7 objects each. For example, describe a context in which a total number of objects can be expressed as 5 x 7. Interpret whole-number quotients of whole numbers, e.g., interpret 56 ÷ 8 as the number of objects in each share when 56 objects are partitioned equally into 8 shares, or as a number of shares when 56 objects are partitioned into equal shares of 8 objects each. For example, describe a context in which a number of shares or a number of groups can be expressed as 56 ÷ 8. Use multiplication and division within 100 to solve word problems in situations involving equal groups, arrays, and measurement quantities, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem. Determine the unknown whole number in a multiplication or division equation relating three whole numbers. For example, determine the unknown number that makes the equation true in each of the equations 8 x ? = 45, 5 = ? + 3, 6 x 6 = ?. Understand properties of multiplication and the relationship between multiplication and division. Apply properties of operations as strategies to multiply and divide. Examples: If 6 x 4 = 24 is known, then 4 x 6 = 24 is also known. (Commutative property of multiplication.) 3 x 5 x 2 can be found by 3 x 5 = 15, then 15 x 2 = 30, or by 5 x 2 = 10, then 3 x 10 = 30. (Associative property of multiplication.) Knowing that 8 x 5 = 40 and 8 x 2 = 16, one can find 8 x 7 as 8 x (5 + 2) = (8 x 5) + (8 x 2) = 40 + 16 = 56. (distributive property.) Understand division as an unknown-factor problem. For example, find 32 ÷ 8 by finding the number that makes 32 when multiplied by 8.

		Student Book	Skill Builders
7.	Fluently multiply and divide within 100, using strategies such as the relationship between multiplication and division (e.g., knowing that 8 x 5 = 40, one knows $40 \div 5 = 8$) or properties of operations. By the end of Grade 3, know from memory all products of two one-digit numbers.	BII: 9-11, 18, 50-52, 56	20-3, 20-5, 20-7, 25- 3, 25-6, 25-9
	Solve problems involving the four operations, and identify		
	and explain patterns in arithmetic.	DIII. 70	10.4
8.	Solve two-step word problems using the four operations. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.	BIII: 70	49-4
9.	Identify arithmetic patterns (including patterns in the addition table or multiplication table), and explain them using properties of operations. For example, observe that 4 times a number is always even, and explain why 4 times a number can be decomposed into two equal addends.	BI: 14 BII: 10	3-1
3.NBT	NUMBER AND OPERATIONS IN BASE TEN		
0.1101	Use place value understanding and properties of operations		
	to perform multi-digit arithmetic.		
1.	Use place value understanding to round whole numbers to the nearest 10 or 100.	BI: 34-38	7-1, 8-1
2.	Fluently add and subtract within 1000 using strategies and algorithms based on place value, properties of operations, and/or the relationship between addition and subtraction.	BI: 44-48, 56-62	9-2, 10-1 to 10-4, 15-1 to 15-4
3.	Multiply one-digit whole numbers by multiples of 10 in the range $10 - 90$ (e.g., 9×80 , 5×60) using strategies based on place value and properties of operations.	BII: 34-36	22-1, 22-2
ONE	NUMBER AND OPERATIONS FRACTIONS		
3.NF	NUMBER AND OPERATIONS – FRACTIONS Develop understanding of fractions as numbers.		
1.	Understand a fraction 1/b as the quantity formed by 1 part when a whole is partitioned into b equal parts; understand a fraction a/b as the quantity formed by a parts of size 1/b.	BIII: 5, 6, 8	30-1, 30-2
2.	Understand a fraction as a number on the number line; represent fractions on a number line diagram.		
a.	Represent a fraction 1/b on a number line diagram by defining the interval from 0 to 1 as the whole and partitioning it into b equal parts. Recognize that each part has size 1/b on the number line.		
b.	Represent a fraction a/b on a number line diagram by marking off a lengths $1/b$ from 0. Recognize that the resulting interval has size a/b and that its endpoint locates the number a/b on the number line.		
3.	Explain equivalence of fractions in special cases, and compare fractions by reasoning about their size.	BIII: 16, 18, 22	32-1, 32-2
a.	Understand two fractions as equivalent (equal) if they are the	BIII: 22	
b.	same size, or the same point on a number line. Recognize and generate simple equivalent fractions, e.g., 1/2 = 2/4, 4/6 = 2/3). Explain why the fractions are equivalent, e.g By using a visual fraction model.	BIII: 22	32-2

		Student Book	Skill Builders
c.	Express whole numbers as fractions, and recognize fractions	BIII: 23, 24	30-1
	that are equivalent to whole numbers. Examples: Express 3 in the		
	form 3 = 3/1; recognize that 6/1 = 6; locate 4/6 and 1 at the same		
	point of a number line diagram.		
d.	Compare two fractions with the same numerator or the same	BIII: 16-18	32-2
	denominator by reasoning about their size. Recognize that		
	comparisons are valid only when the two fractions refer to the		
	same whole. Record the results of comparisons with the		
	symbols >, =, or <, and justify the conclusions, e.g., by using a		
	visual fraction model.		
3.MD	MEASUREMENT AND DATA		
	Solve problems involving measurement and estimation of		
	intervals of time, liquid volumes, and masses of objects.		
1.	Tell and write time to the nearest minute and measure time	BIII: 44, 45	41-1, 41-2, 41-3
	intervals in minutes. Solve word problems involving addition and		
	subtraction of time intervals in minutes, e.g., by representing the		
	problem on a number line diagram.		
2.	Measure and estimate liquid volumes and masses of objects	BIII: 58-60	42-2, 45-2
	using standard units of grams (g), kilograms (kg), and liters (l).	2 55 55	
	Add, subtract, multiply, or divide to solve one-step word		
	problems involving masses or volumes that are given in the		
	same units, e.g., by using drawings (such as a beaker with a		
	measurement scale) to represent the problem.		
	measurement sould) to represent the problem.		
	Represent and interpret data.		
3.	Draw a scaled picture graph and a scaled bar graph to represent	BIII: 72, 73, 75	50-2
	a data set with several categories. Solve one- and two-step		
	"how many more" and "how many less" problems using		
	information presented in scaled bar graphs. For example, draw a		
	bar graph in which each square in the bar graph might represent		
	5 pets.		
4.	Generate measurement data by measuring lengths using rulers	BIII: 49, 50	43-1, 43-3
	marked with halves and fourths of an inch. Show the data by		
	making a line plot, where the horizontal scale is marked off in		
	appropriate units – whole numbers, halves, or quarters.		
	Occuration management and another desired		
	Geometric measurement: understand concepts of area and relate area to multiplication and to addition.		
5.	Recognize area as an attribute of plane figures and understand	BIII: 65-67	46-3
J.	concepts of area measurement.		
а.	A square with side length 1 unit, called "a unit square" is said to	BIII: 65	46-3
a.	have "one square unit" of area, and can be used to measure	Dill. 00	
	area.		
	A plane figure which can be covered without gaps or overlaps by	BIII: 66, 67	46-3
۵.	n unit squares is said to have an area of n square units.	D 60, 67	
6.	Measure areas by counting unit squares (square cm, square m,	BIII: 65-67	46-3
	square in, square ft, and improvised units).		
-	Dolate avec to the energitions of multiplication and addition		
7.	Relate area to the operations of multiplication and addition.		
a.	Find the area of a rectangle with whole-number side lengths by tiling it, and show that the area is the same as would be found by		
	itilino it. and snow that the area is the same as would be found by		

		Student Book	Skill Builders
b.	Multiply side lengths to find areas of rectangles with whole-		
	number side lengths in the context of solving real world and		
	mathematical problems, and represent whole-number products		
	as rectangular areas in mathematical reasoning.		
C.	Use tiling to show a concrete case that the area of a rectangle		
	with whole-number side lengths a and $b + c$ is the sum of $a \times b$		
	and a x c. Use area models to represent the distributive property		
	in mathematical reasoning.		
d.	Recognize area as additive. Find areas of rectilinear figures by		
	decomposing them into non-overlapping rectangles and adding		
	the areas of the non-overlapping parts, applying this technique		
	to solve real world problems.		
	Geometric measurement: recognize perimeter as an		
	attribute of plane figures and distinguish between linear and		
	area measures.		
8.	Solve real world and mathematical problems involving	BIII: 61-64, 67	46-1, 46-2
	perimeters of polygons, including finding the perimeter given the		
	side lengths, finding an unknown side length, and exhibiting		
	rectangles with the same perimeter and different areas or with		
	the same area and different areas or with the same area and		
	different perimeters.		
3.G	GEOMETRY		
3.G	Reason with shapes and their attributes		
1.	Understand that shapes in different categories (e.g., rhombuses,		
•••	rectangles, and others) may share attributes (e.g., having four		
	sides), and that the shared attributes can define a larger		
	category (e.g., quadrilaterals). Recognize rhombuses, rectangles,		
	and squares as examples of quadrilaterals, and draw examples		
	of quadrilaterals that do not belong to any of these		
	subcategories.		
2.	Partition shapes into parts with equal areas. Express the area of		
	each part as a unit fraction of the whole. For example, partition a		
	shape into 4 parts with equal area, and describe the area of each		
	part as 1/4 of the area of the shape.		
	Dis Normanation Addition 9 Coulting attention		
	Bl: Numeration, Addition & Subtraction		
	BII: Multiplication & Division		
	BIII: Fractions, Geometry & Measurement		

Summary: 27/37 = 73% correlation