	Math Teachers Pre 4850 Park Glen Road, Minneapolis, MN 55 phone (800) 852-2435 fax (952) 546-7	416				
	Utah Core State Standar  Moving with Math Foun		-			
		MH1 Number, Reasoning, & Data Student Book/Skill Builder (SB)	MH2 Fractions & Decimals Student Book/Skill Builder (SB)	MH3 Percent & Probability Student Book/Skill Builder (SB)	MH4 Geometry & Measurement Student Book/Skill Builder (SB)	MH5 Integers, Equations, & Algebra Student Book/Skill Builder (SB)
8.NS	THE NUMBER SYSTEM					
	Know that there are numbers that are not rational, and approximate them by rational numbers.					
8.NS.1	Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers, show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.		55 <b>SB:</b> 65-1	<b>SB:</b> 65-1		
8.NS.2	Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions (e.g., $\pi^2$ ). For example, by truncating the decimal expansion of $\sqrt{2}$ , show that $\sqrt{2}$ is between 1 and 2, then between 1.4 and 1.5, and explain how to continue on to get better approximations.	24 <b>SB:</b> 54-2	55 <b>SB:</b> 65-1			

8.NS.3 Understand how to perform operations and simplify radicals with emphasis on square roots.

		MH1 Number, Reasoning, & Data Student Book/Skill Builder (SB)	MH2 Fractions & Decimals Student Book/Skill Builder (SB)	MH3 Percent & Probability Student Book/Skill Builder (SB)	MH4 Geometry & Measurement Student Book/Skill Builder (SB)	MH5 Integers, Equations, & Algebra Student Book/Skill Builder (SB)
8.EE	EXPRESSIONS AND EQUATIONS					
	Work with radicals and integer exponents.					
8.EE.1	Know and apply the properties of integer exponents to generate equivalent numerical expressions. For example, $3^2 \times 3^{-5} = 3^{-3} = 1/3^3 = 1/27$ .	22, 25, 26 <b>SB:</b> 69-1				71-73 <b>SB:</b> 61-1, 61-2
8.EE.2	Use square root and cube root symbols to represent solutions to equations of the form $x^2 = p$ and $x^3 = p$ , where $p$ is a positive rational number. Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that $\sqrt{2}$ is irrational.	23 <b>SB</b> : 54-1			33 <b>SB:</b> 54-1	74 <b>SB:</b> 61-4
8.EE.3	Use numbers expressed in the form of a single digit times an integer power of 10 to estimate very large or very small quantities, and to express how many times as much one is than the other. For example, estimate the population of the United States as 3 x 10 <sup>8</sup> and the population of the world as 7 x 10 <sup>9</sup> , and determine that the world population is more than 20 times larger.	28-30 <b>SB:</b> 57-1, 57-2	<b>SB:</b> 57-1	<b>SB:</b> 57-1		
8.EE.4						
8.EE.5	equations.  Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. For example, compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed.					62-64 <b>SB:</b> 60-6

8.EE.6	Use similar triangles to explain why the slope $m$ is the same between any two distinct points on a nonvertical line in the coordinate plane; derive the equation $y = mx$ for a line through the origin an the equation $y = mx + b$ for a line intercepting the vertical axis at $b$ .  Analyze and solve linear equations and pairs of			
	simultaneous linear equations.			
8.EE.7	Solve linear equations in one variable.			
a.	Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form $x = a$ , $a = a$ , or $a = b$ results (where $a$ and $b$ are different numbers).			
b.	Solve single-variable linear equations and inequalities with rational number coefficients, including equations and inequalities whose solutions require expanding expressions using the distributive property and collecting like terms.			39, 41-49, 65, 66 <b>SB:</b> 50-2 to 50-4, 60-2
C.	Solve single-variable absolute value equations.			
8.EE.8	Analyze and solve pairs of simultaneous linear equations.			
a.	Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.			
b.	Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection. For example, $3x + 2y = 5$ and $3x + 2y = 6$ have no solution because $3x + 2y$ cannot simultaneously be 5 and 6.			
C.	Solve real-world and mathematical problems leading to two linear equations in two variables. For example, given coordinates for two pairs of points, determine whether the line through the first pair of points intersects the line through the second pair.			

		MH1 Number, Reasoning, & Data Student Book/Skill Builder (SB)	MH2 Fractions & Decimals Student Book/Skill Builder (SB)	MH3 Percent & Probability Student Book/Skill Builder (SB)	MH4 Geometry & Measurement Student Book/Skill Builder (SB)	MH5 Integers, Equations, & Algebra Student Book/Skill Builder (SB)
8.F	FUNCTIONS					
	Define, evaluate, and compare functions.					
8.F.1	Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output.	70 <b>SB</b> : 60-1				60-64, 67, 68 <b>SB:</b> 60-1, 60-3, 60-6
8.F.2	Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change.					
8.F.3	Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not linear. For example, the function $A = s^2$ , giving the area of a square as a function of its side length, is not linear because its graph contains the points $(1,1)$ , $(2,4)$ , and $(3,9)$ , which are not on a straight line.  Use functions to model relationships between quantities.					61, 64, 68, 69 <b>SB:</b> 60-4, 60-5
8.F.4	Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two $(x,y)$ values, including reading these from a table or from a graph. Interpret the rate of change and initial value of a linear function in terms of the situation of it models, and in terms of its graph or a table of values.					62-64, 68 <b>SB:</b> 60-6

8.F.5	Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.					68
		MH1 Number, Reasoning, & Data Student Book/Skill Builder (SB)	MH2 Fractions & Decimals Student Book/Skill Builder (SB)	MH3 Percent & Probability Student Book/Skill Builder (SB)	MH4 Geometry & Measurement Student Book/Skill Builder (SB)	MH5 Integers, Equations, & Algebra Student Book/Skill Builder (SB)
8.G	GEOMETRY					
	Understand congruence and similarity using physical models, transparencies, or geometry software.					
8.G.1	Verify experimentally the properties of rotations, reflections, and translations:					
a.	Lines are taken to lines, and line segments to line segments of the same length.				12 <b>SB:</b> 32-2, 32-4	
b.	Angles are taken to angles of the same measure.				12 <b>SB:</b> 32-2, 32-4, 53-1	
c.	Parallel lines are taken to parallel lines.					
8.G.2	Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.				12	
8.G.3	Observe that orientation of the plane is preserved in rotations and translations, but not with reflections. Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.				14 <b>SB:</b> 49-1, 53-3	
8.G.4	Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.				24	

8.G.5	Use informal arguments to establish facts about the				19-21	
	angle sum and exterior angle of triangles, about the				<b>SB:</b> 33-2, 52-1	
	angles created when parallel lines are cut by a					
	transversal, and the angle-angle criterion for similarity					
	of triangles. For example, arrange three copies of the					
	same triangle so that the sum of the three angles					
	appears to form a line, and give an argument in terms					
	of transversals why this is so.					
	Understand and apply the Pythagorean Theorem					
	and its converse.					
8.G.6	Explore and explain proofs of the Pythagorean				34	
	Theorem and its converse.					
8.G.7	Apply the Pythagorean Theorem to determine				35	
	unknown side lengths in right triangles in real-world				<b>SB:</b> 54-2, 54-3	
	and mathematical problems in two and three					
	dimensions.					
8.G.8	Apply the Pythagorean Theorem to find the distance					
	between two points in a coordinate system.					
	Solve real-world and mathematical problems					
	involving volume of cylinders, cones, and					
	spheres.					
8.G.9	Know the formulas for the volumes of cones,					
	cylinders, and spheres and use them to solve real-					
	world and mathematical problems.	D. 81114	B4110	1 10	B#114	14115
		MH1	MH2	MH3	MH4	MH5
		Number, Reasoning, & Data	Fractions & Decimals	Percent &	Geometry & Measurement	Integers, Equations, &
		Student	Student	Probability Student	Student	Algebra Student
		Book/Skill Builder	Book/Skill	Book/Skill	Book/Skill	Book/Skill Builder
		(SB)	Builder (SB)	Builder (SB)	Builder (SB)	(SB)
8.SP	STATISTICS AND PROBABILITY	(OD)	Bunder (OB)	Bunder (OB)	Bulluel (OB)	(02)
	Investigate patterns of association in bivariate					
	data.					
8.SP.1	Construct and interpret scatter plots for bivariate	75, 76				
	measurement data to investigate patterns of	<b>SB:</b> 68-4, 70-1				
	association between two quantities. Describe patterns					
	such as clustering, outliers, positive or negative					
	association, linear association, and nonlinear					
	association.					

8.SP.2	Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.	75 <b>SB:</b> 70-1		
8.SP.3	Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept. For example, in a linear model for a biology experiment, interpret a slope of 1.5 cm/hr as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height. (Calculating equations for a linear model is not expected in grade 8.)			
8.SP.4	Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two variables. For example, collect data from students in your class on whether or not they have a curfew on school nights and whether or not they have assigned chores at home. Is there evidence that those who have a curfew also tend to have chores?			